


## 64185NR9

NIGHT RACER 90 | Halogen headlight lamps for motorcycles



### Areas of application

- Motorcycle headlight

### Product family benefits

- Up to 90 % more light on the road (compared to standard halogen lamps)
- Up to 35 m longer beam of light (compared to standard halogen lamps)
- Up to 10 % whiter light (compared to standard halogen lamps)
- Higher resilience due to robust coil design
- Optimum light for more time to react
- Patented blue ring coating for less reflected glare
- More efficient light production thanks to optimized inert filling gas formula

### Product family features

- Eye-catching design with partial blue coating and silver cap
- Vibration resistant technology

# Product datasheet

## Technical data

### Electrical data


Power input	36.8 / 36.8 W <sup>1)</sup>
Nominal voltage	12.0 V
Nominal wattage	35/35 W
Test voltage	13.2 V

<sup>1)</sup> Maximum

### Photometrical data

Color temperature	3700 K
Luminous flux	820/520 lm
Luminous flux tolerance	±15 / ±15 %

### Dimensions & weight



Length	82.0 mm
Diameter	17.0 mm
Product weight	26.00 g

### Lifespan

Lifespan B3	75 / 150 h <sup>1)</sup>
Lifespan Tc	150 / 300 h <sup>1)</sup>

<sup>1)</sup> Filament 1 / Filament 2

### Additional product data

Base (standard designation)	PX43t
-----------------------------	-------

### Certificates & standards

ECE category	HS1
--------------	-----

## Product datasheet

### Country specific categorizations

---

Order reference	64185NR9
-----------------	----------

---

## Product datasheet

---

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899253452	64185NR9	Blister 1	135 mm x 95 mm x 51 mm	0.65 dm <sup>3</sup>	37.00 g
4052899253469	64185NR9	Shipping carton box 10	335 mm x 115 mm x 146 mm	5.62 dm <sup>3</sup>	470.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.