

PS19W PREMIUM 5301CW

LEDiving PREMIUM | – Suitable replacement for PS19W



Product datasheet

Technical data

Electrical data

Nominal voltage	12.0 V
Nominal wattage	3.00 W

Dimensions & weight

Diameter	15.5 mm
Product weight	12.00 g
Length	42.0 mm

Additional product data

Base (standard designation)	PG20-1
-----------------------------	--------

Certificates & standards

ECE category	≙ PS19W
--------------	---------

Country specific categorizations

Order reference	5301CW 3W 12V P
-----------------	-----------------

Product datasheet

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899605008	PS19W PREMIUM 5301CW	Folding carton box 1	34 mm x 35 mm x 58 mm	0.07 dm ³	15.40 g
4052899605015	PS19W PREMIUM 5301CW	Shipping carton box 10	178 mm x 76 mm x 67 mm	0.91 dm ³	177.00 g
4062172035873	PS19W PREMIUM 5301CW	Unpacked 1	- x - x -		
4062172022781	PS19W PREMIUM 5301CW	Shipping carton box 300	553 mm x 300 mm x 333 mm	55.24 dm ³	4071.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.