

W21/5W P Red

LEDriving PREMIUM | - Suitable replacement for W21/5W



Areas of application

- Exterior LED car lighting

Product family benefits

- 6 year guarantee
- Modern and intense light with up to 6,000 K
- Three different light colors for various applications
- Non selective illumination thanks to homogenous light distribution
- Easy plug and play replacement, regardless of base polarity
- Maintenance-free thanks to long lifetime and short-circuit protection
- Up to 80 % less energy consumption (compared to standard lamps)

Product family features

- Compatible with conventional W21/5W lamp base
- LED retrofit lamps for various vehicle exterior applications
- Available with light color: Cool White, Amber, Red (for usage behind red glass)
- Shockproof and vibration-proof


Product datasheet

Technical data

Electrical data

Nominal voltage	12.0 V
Nominal wattage	1.50 W

Dimensions & weight



Diameter	20.0 mm
Product weight	12.00 g
Length	47.5 mm

Additional product data

Certificates & standards

ECE category	≙ W21/5W
--------------	----------

Country specific categorizations

Order reference	7915R
-----------------	-------

Product datasheet

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899359598	W21/5W P Red	Blister 2	135 mm x 95 mm x 18 mm	0.23 dm ³	36.42 g
4052899359604	W21/5W P Red	Shipping carton box 10	115 mm x 105 mm x 145 mm	1.75 dm ³	270.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

Guarantee terms are available at

www.osram.com/am-guarantee

Legal advice

Not ECE conform

Only approved for off-road use. Any use on public road traffic leads to cancellation of vehicle operating licence and loss of insurance cover.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.