Product datasheet



64327XR

X-RACER | Halogen headlight lamps for motorcycles



Areas of application

- Motorcycle headlight

Product family benefits

- Bluish white light for xenon look
- Optimum light for more time to react
- Up to 20 % more light (compared to standard halogen lamps)
- Bright and therefore pleasant light for the driver

Product family features

- Color temperature: up to 4,200 K
- Modern design with silver cap

Product datasheet

Technical data


Electrical data

| Nominal voltage | 12.0 V |
|-----------------|---------|
| Nominal wattage | 35/35 W |
| Test voltage | 13.2 V |

Photometrical data

| Color temperature | 3200 К |
|-------------------------|------------|
| Luminous flux | 650/465 lm |
| Luminous flux tolerance | ±20 % |

Dimensions & weight





| Length | 71.0 mm |
|----------------|---------|
| Diameter | 14.7 mm |
| Product weight | 13.30 g |

Lifespan

| Lifespan B3 | 75 / 150 h |
|-------------|-------------|
| Lifespan Tc | 120 / 300 h |

Additional product data

Certificates & standards

| ECE category | S2 |
|--------------|----|

Country specific categorizations

| Order reference | 64327XR |
|-----------------|---------|

Product datasheet

Logistical Data

| Product code | Product description | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume | Gross weight |
|---------------|---------------------|---------------------------------|---|----------------------|--------------|
| 4052899936607 | 64327XR | Blister 1 | 135 mm x 95 mm x 21 mm | 0.27 dm ³ | 20.30 g |
| 4052899936621 | 64327XR | Shipping carton box 10 | 200 mm x 109 mm x 152 mm | 3.31 dm ³ | 280.00 g |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.